

1 EXTERNAL WALL DETAIL - TYPICAL SCALE 1:2 0mm 20 40 60 80 100

| | EXISTING BRICK BOUNDARY FENCE. STEEL HANDRAILS. NEW TACTILE INDICATORS. REFER TO SPEC. NEW RAMP LANDING WITH 300x300mm NON-SLIP TILES. REFER TO SPEC. | EXISTING LOCATION OF INSPECTION PIT WITH STEEL LID. REPLACE STEEL LID WITH A FIBRE CEMENT SHEET TRAFFICABLE LID WITH TILES TO MATCH RAMP, PROVIDE HANDLE GRAB POINTS AS NECESSARY. NEW LID TILED SURFACE TO BE FLUSH WITH RAMP LANDING TILES TO AVOID ANY TRIP HAZARDS. PROVIDE TACTLE INDICATORS ON LID TILES AS SHOWN. SHADED/HATCHED AREA OF INSPECTION PIT OVERLAPS INTO AND UNDER UPPER RAMP |
|---|---|---|
| $\left\{ \right\}$ | VERTICAL SURFACE BETWEEN LOWER LANDING LANDINGLANDINGLANDINGLANDINGANDING | LANDING. THIS AREA WILL NEED TO BE MODIFIED SLIGHTLY ON SITE DURING CONSTRUCTION OF RAMP, CONCIDERING THE STRUCTURE NEEDED FOR THE RAMP, DETERMINE WETHER THE INSPECTION PIT CAN BE SHORTENED ENOUGH TO CLEAR RAMP STRUCTURE. |
| 2 EXISTING WATER INSPECTION PLATE DETAIL SCALE 1:50 0mm 500 1000 1500 2000 2500 | | |

